

Kloo Mandolin v.2.0
for NI Kontakt, HALion, EXS24 & SoundFont



This unique mandolin was built by the instrument maker Ulf Kloo in 1997 for the musician Leif Isebring. Kloo Mandolin has an extended range from G2 to D6.

The complete Kloo Mandolin release contains 489 individual 24 bit Mono WAV samples.

10 programs for EXS24

10 programs for NI Kontakt V1.2 and above

1 program for NI Kontakt v.3, 4 and 5

10 programs for HALion 1.11 and above

9 SoundFont programs (16bit)

About the content:

2 different picked notes programs with fast attack and slow attack. The SoundFont version has only one specially edited "Picked note" program.

1 flam notes program with a more "blurry" articulation, suitable for chord playing and faster drills, also good for "rounding off" tremolo runs.

1 tremolo program with typical mandolin tremolo notes.

© Copyright Precision sound 2011 www.precisionsound.net

All programs are chromatically sampled, every half note in the whole tonal range, with 2 velocity levels. Additionally, there are flageolets, fret noises and a huge selection of noises, knocks, scrapes and scratch sounds. The Kloo Mandolin Full program for Kontakt, EXS24 and HALion has all articulations key switched; C1 = Picked 1, C#1 = Picked 2, D1 = Flam, D#1 = Tremolo, E1 = Flageolets, F1 = FX 1, F#1 = FX 2 G#1 = FX 3.

Kloo Mandolin for NI Kontakt 3, 4 & 5

This file in NI Kontakt 3, 4 & 5 format requires the full version of NI Kontakt 3, 4 & 5 and does not work fully with the free Kontakt player!



Articulation + Tone page.

Articulation: Pulldown menu with the available articulations, the name of the selected articulation and note for keyswitch are visible.

C1 = Picked 1, C#1 = Picked 2, D1 = Flam, D#1 = Tremolo, E1 = Flageolets, F1 = FX 1, F#1 = FX 2 G#1 = FX 3.

Velocity: The amount of velocity sensitivity from 0 to 100%.

Tremolo: Speed knob controls the speed of the tremolo. You can also control the speed with Modulation wheel. You can only raise the speed not lower it.

EQ: Lo, Mid and Hi Gain control +/- 8 dB control knobs and Lo, Mid and Hi frequency range knobs.



FX page.

Stereo: Stereo **Width** control knob with 4 available settings: mono, small, med and wide.

Reverb: IR Reverb FX with 7 presets “Ambience”, “Booth”, “Small Hall”, “Stone Room”, “Studio” “Tiled Room”, “Wood Room” and **Level** control knob.

Delay: Tempo synced delay effect with **Level** control knob and **on/off** button. Other knobs control the **Rate** of delay, **Feedback** of the delay signal, **Tone** (filter frequency character of the delay), and **Spread** (stereo width of delay signal, where 0%=mono)



Credits page.

Recording by Leif Isebring

Editing & programming by Lars Westin,

KSP Scripting by Iain Morland <http://sound.iainmorland.net>

GUI Graphics by Lars Westin

Kloo Mandolin v.2.0 includes impulses from the free Bricasi M7 library by Acousticas, used under license

© Copyright Precisionsound 2011 www.precisionsound.net

Licence agreement

All content on CD/DVD-ROM and in downloadable SampleSets available from Precisionsound and other resellers are licensed, not sold, to you, the single user. Precisionsound is the owner or master licensee of the content.

The payment you make to purchase the SampleSets containing the content gives you the non-exclusive right to use the content in any music and/or audiovisual media production, such as a soundtrack, music production, television show, live/playback show, advertisement, computer/videogame.

The music demos are © Copyrighted and shows how different content from downloadable SampleSets and CD/DVD-ROMs can be used. Any use of the demos found at the Precisionsound website or on a reseller's website requires written permission from Precisionsound.

You may not distribute, sell, re-sell, lend, rent, lease, give away, sublicense, assign, or otherwise transfer any of the content except as part of, and incorporated in a production.

You may not distribute the content, either in native format or reformatted, filtered, re-synthesized or otherwise edited or treated, for use as samples, loops, multi-samples as programs or patches in a sampler or sample playback unit. The content cannot be used as source playback from ROM or chip sets or embedded in any chip set. Only the original purchaser has the right to use the content in their production.

You will not spread unlock codes for downloaded SampleSets "*.exe/zip/rar" files to any other person and you have to keep such codes confidential.

If you become aware of any unauthorized use or distribution of Precisionsound content, please notify Precisionsound immediately via E-mail at info@precisionsound.net

Violation of this agreement will be pursued to the fullest extent of the law.